
## ACM Sensor (Standard Type) Specifications

## [Overview]

ACM is a type of sensor which is used to evaluate the corrosion in atmospheric and saline environments. When two different types of metals are exposed to the environment while insulated from each other, a corrosion current flows them in solution as well as in open air or indoors due to the linkage of water film between these two metals and it corresponds to the corrosion rate of base metal. By measuring and analyzing this corrosion current, the corrosiveness of the installation environment can be quantitatively evaluated. The type of sensor that can monitor the corrosive environment is called Atmospheric Corrosion Monitor or ACM Sensor.

## [Structure/Appearance]





The insulation paste is printed, baked, and hardened on the substate (Fe, Zn, etc.). The hardened insulation layer is then printed with conductive paste (such as Ag), baked, and allowed to firm. The resistance between the two electrodes is measured once the pastes have dried. The plate is employed as sensors if resistance is more than  $16\Omega$ .

## (Specifications)

Materials	Carbon Steel, Galvanized Steel(without Z27 chemical conversion
	treatment), Materials supplied by Customers (Consultation
	Required), Stainless Steel, Aluminum Alloy, Magnesium Alloy, etc.,
Size	$64\text{mm} \times 64\text{mm} \text{ (t=0.8mm)}$
	XCustom-made is also available €
Sensor Output	0.01nA~5mA
Lead Wire	Red & Black Cable 1m *Length and Specifications can be customized.
Connection to Measuring	Waterproof Connector, etc.,
Equipment	XCustom-made is also available €
Supported Devices	ACM Data Loggers:SACM-311E、SACM-312B、SACM-314B、SACM-318B、
	SACM-31FB、SACM-50F、SACM-311B etc.
Inter-electrode	100 an highan
Resistance	$16\Omega$ or higher

